


EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	prefix adj limit\$4 near10 (BGP border near5 gateway\$4) and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 15:25
S2	0	prefix near5 limit\$4 near10 (BGP border near5 gateway\$4) and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 15:25
S3	5	prefix near5 limit\$4 near10 (BGP border near5 gateway\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 15:33
S4	1	prefix near5 limit\$4 and 709/242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:02
S5	16	prefix near5 limit\$4 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 15:42
S6	220	(route routes\$1) near5 limit\$4 and "709"/\$.ccls. and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 12:26
S7	1	(route routes\$1) near5 limit\$4 same prefix\$4 and "709"/\$.ccls. and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 15:45
S8	2	router\$1 near10 (max maximum) near10 prefix near10 limit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 17:58
S9	0	suspend\$4 near10 prefix near10 limit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 18:26



EAST Search History

S10	5	stop\$6 near10 prefix near10 limit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 17:55
S11	2	"6553423".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 17:57
S12	2	"20020199016".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 17:57
S13	7	router\$1 near10 (max maximum) near10 prefix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 18:02
S14	0	suspend\$4 near10 route\$1 near10 advertisement\$4 same (limit\$4 prefix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 18:27
S15	16	(stop\$6 suspend\$4) near10 route\$1 near10 advertisement\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 18:30
S16	147	bgp near10 prefix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 18:30
S17	5	bgp near10 prefix near5 limit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 18:34
S18	7	bgp same prefix near10 limit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:14
S19	2	bgp same prefix near10 (stop\$4 suspend\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 18:40

EAST Search History

S20	2	"20040090913"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 18:42
S21	17	bgp and (max maximum) near10 number\$1 near10 prefix\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 18:49
S22	45	bgp and limit\$4 near10 prefix\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 18:52
S23	17	bgp and limit\$4 near10 prefix\$4 and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 18:52
S24	16	prefix near5 limit\$4 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:03
S25	3	(route routes\$1) near5 advertisement\$4 same (max maximum) and "709"/\$.ccls. and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:33
S26	282	bgp same prefix\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:14
S27	7	bgp same prefix\$1 near5 limit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:20
S28	10	bgp same (route routes) near10 (max maximum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:26
S29	51	bgp same (route routes) near10 (limit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:26

EAST Search History

S30	21	bgp same (route routes) near10 (limit\$4) and @ad<"20030523"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:27
S31	5	(route routes\$1) near5 advertisement\$4 same (max maximum) and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/02 10:33
S32	6	advertis\$6 near10 (route routes\$1) near5 limit\$4 and "709"/\$.ccls. and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 17:42
S33	126462	(route routes\$1) near5 limit\$4 advertis\$6 and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 12:37
S34	2	"5754831".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 12:29
S35	3	bgp same prefix\$1 same overload\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 12:36
S36	13	(route routes\$1) near5 limit\$4 near10 advertis\$6 and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 12:37
S37	47	(route routes\$1 prefix\$4) near5 limit\$4 near10 (exchang\$4 advertis\$6) and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 12:44
S38	6	(prefix\$4) near5 limit\$4 near10 (exchang\$4 advertis\$6) and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 12:44
S39	152	(prefix\$4) near5 number\$4 near10 (exchang\$4 advertis\$6) and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 20:27

EAST Search History

S40	7	(border near5 gateway\$1 BGP) and (prefix\$4) near5 number\$4 near10 (exchang\$4 advertis\$6) and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 12:44
S41	7	(border near5 gateway\$1 BGP) and (prefix\$4) near5 (max maximum limit\$1 number\$4) near10 (exchang\$4 advertis\$6) and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 20:20
S42	2	"20030021232"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 20:20
S43	21	(prefix\$4) near5 number\$4 near10 (exchang\$4 advertis\$6) and @ad<"20030925" and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 20:28
S44	17	(prefix\$4) near5 limit\$1 and @ad<"20030925" and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 20:44
S45	3	(prefix\$4) near5 limit\$1 and BGP and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 20:44
S46	7	(prefix\$4) near5 limit\$1 and @ad<"20030925" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 20:45
S47	609	(prefix\$4) near5 (max maximum) and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 20:45
S48	61	(prefix\$4) near5 (max maximum) and @ad<"20030925" and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 20:45
S49	7	(prefix\$4) near5 (max maximum) and BGP and @ad<"20030925" and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 20:56

EAST Search History

S50	2	(prefix\$4) near5 (max maximum) and BGP and @ad<"20030925" and "709". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 20:56
S51	113604	router\$1 near10 (max maximum limit\$1) near10 (routes route) near10 advertis\$6 and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 20:59
S52	1	router\$1 near10 (max maximum limit\$1) near10 (routes route) near10 advertis\$6 and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 21:00
S53	88	router\$1 near10 (max maximum limit\$1) near10 (routes route) and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 21:33
S54	28	"6385170"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 21:06
S55	0	suspend\$4 near10 (max maximum limit\$1) near10 (routes route) and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 21:09
S56	0	suspend\$4 near10 (threshold\$4 max maximum limit\$1) near10 (routes route) and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 21:09
S57	1	halt\$4 near10 (threshold\$4 max maximum limit\$1) near10 (routes route) and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 21:12
S58	8	(advertis\$4) near10 (max maximum limit\$1) near10 (routes route) and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 21:35
S59	4	router\$1 near10 (max maximum limit\$1) near10 (prefix\$4) and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 21:33

EAST Search History

S60	10	(advertis\$4) near10 (suspend\$4 halt\$4 stop\$4) near10 (routes route) and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 21:37
S61	28	(advertis\$4) near10 (prefix\$4) near10 (routes route) and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 21:37
S62	26	(advertis\$4) near10 (prefix\$4) near10 (routes route) and @ad<"20030529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 22:02
S63	22	bgp and (max maximum) near10 (routes route) and @ad<"20030529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 22:11
S64	19	suspend\$4 and (advertis\$4) near10 (routes route) and @ad<"20030529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 22:15
S65	0	suspend\$4 near10 (advertis\$4) near10 (routes route) and @ad<"20030529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 22:12
S66	0	suspend\$4 near10 (advertis\$4) same (routes route) and @ad<"20030529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 22:16
S67	7	(max maximum) near10 (advertis\$4) same (routes route) and @ad<"20030529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 22:17
S68	23	(route routes) near10 (advertis\$4) and @ad<"20030529" and 709/242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 22:22
S69	25	(route routes prefix\$4) near10 (advertis\$4) and @ad<"20030529" and 709/242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 22:29

EAST Search History

S70	0	(send\$4) near10 prefix\$4 near10 limit\$4 same (peer\$1 router\$1) and @ad<"20030529" and 709/242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 22:30
S71	0	(send\$4) near10 prefix\$4 near10 limit\$4 same (peer\$1 router\$1) and @ad<"20030529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 22:30
S72	12	(send\$4) near10 (route routes) near10 limit\$4 same (peer\$1 router\$1) and @ad<"20030529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 22:31
S73	0	prefix near10 limit\$1 same capabilit\$6 and @ad<"20030529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 23:15
S74	2	"20060193329"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 22:55
S75	2	"20060198322"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 22:55
S76	2	prefix\$2 near10 limit\$1 same capabilit\$6 and @ad<"20030529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 23:15
S77	16	prefix\$2 near10 (max maximum) and (BGP border near5 gateway) and @ad<"20030529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 23:19
S78	19	prefix\$2 near10 (limit\$4) and (BGP border near5 gateway) and @ad<"20030529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 23:19
S79	4	stop\$4 near10 (send\$4 distribut\$4) near10 (route routes) near10 (limit\$4 threshold\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 21:23

EAST Search History

S80	189	(send\$4 distribut\$4) near10 (route routes) near10 (limit\$4 threshold\$4) and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 21:23
S81	69	(send\$4 distribut\$4) near10 (route routes) near10 (limit\$4 threshold\$4) and @ad<"20030925" and ("709".clas. "370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 21:28
S82	2	prefix\$2 near5 limit\$1 near10 (threshold\$4) and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 21:28
S83	11	prefix\$2 near5 limit\$1 near10 (max maximum) and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 21:29
S84	10	(route routes) near10 distribut\$4 near10 (max maximum) and @ad<"20030925" and ("709".clas. "370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 21:31
S85	18	(route routes) near10 distribut\$4 near10 (max maximum threshold\$4) and @ad<"20030925" and ("709".clas. "370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 21:33
S86	0	BPG same prefix near5 limit\$1 and @ad<"20030925" and ("709".clas. "370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 21:34
S87	0	BPG same prefix\$4 near5 limit\$1 and @ad<"20030925" and ("709".clas. "370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 21:34
S88	2	Bgp same prefix\$4 near5 limit\$1 and @ad<"20030925" and ("709".clas. "370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 21:37
S89	3	Bgp and prefix\$4 near5 limit\$1 and @ad<"20030925" and ("709".clas. "370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 21:44

EAST Search History

S90	3	Bgp and prefix\$4 near5 limit\$1 and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 21:45
S91	3	(border adj gateway\$4 Bgp) and prefix\$4 near5 limit\$1 and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 21:45
S92	17	(border adj gateway\$4 Bgp) and prefix\$4 same limit\$1 and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 22:12
S93	3	(max maximum threshold\$1) near10 advertis\$6 near10 (route routes) and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 22:14
S94	1	notif\$8 near10 (route routing routes) near10 table\$4 near10 size\$4 and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 22:16
S95	16	(max maximum) near10 (route routing routes) near10 table\$4 near10 size\$4 and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 22:21
S96	6	shar\$4 near10 (route routing routes) near10 table\$4 near10 size\$4 and @ad<"20030925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 22:21
S97	3	exchang\$4 near10 prefix near3 limit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/18 08:23
S98	4	exchang\$4 same prefix near3 limit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/18 08:24
S99	3	send\$4 near10 prefix adj limit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/18 08:44

EAST Search History

S10 0	0	neighbor\$1 near10 prefix adj limit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/18 08:44
S10 1	0	prefix adj limit\$1 and 370/229-240. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/18 09:30